

L Number	Hits	Search Text	DB	Time stamp
-	2	CARNEY-CHRISTOPHER-F	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 08:47
-	2	READER-JOHN-R	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 08:39
-	1	READER-JOHN-ROBERT-JR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 08:39
-	3	READER-JOHN-R-JR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 08:40
-	6	LIU-WEIDONG	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 09:28
-	30	((thermal near2 analy\$4) or calorimet\$4) and calibrat\$6 and (detect\$6 near4 conductive\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:04
-	136	((thermal near2 analy\$4) or calorimet\$4) and (calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and conductive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:28
-	0	"6760679"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 09:29
-	115	((thermal near2 analy\$4) or calorimet\$4) and (calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and ((conduct\$4 and reflect\$5) same (position\$3 or coordinate\$1 or (co adj ordinate\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:21
-	24	((thermal near2 analy\$4) or calorimet\$4) and (calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and ((conductive and reflect\$5) same (position\$3 or coordinate\$1 or (co adj ordinate\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:21
-	440	(702/85).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:16
-	320	(702/94).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:24
-	183	(702/95).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:24

-	97	((thermal near2 analy\$4) or calorimet\$4) and reflect\$5 and conductive and (calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:16
-	3	((702/85).CCLS.) and reflect\$5 and conductive and (calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:18
-	7	((702/94).CCLS.) and reflect\$5 and conductive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:25
-	6	((702/95).CCLS.) and reflect\$5 and conductive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:25
-	2850	(calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and conductive and reflect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:30
-	41	(calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and conductive and reflect\$5 and (gripper or grippng)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:50
-	38	(calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and conductive and reflect\$5 and tray\$1 and (rotat\$5 near (table\$1 or platform\$1 or plate\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 12:22
-	4	(calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and conductive and reflect\$5 and tray\$1 and (reflect\$5 with cell\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 12:23
-	122	(calibrat\$6 same (position\$3 or coordinate\$1 or (co adj ordinate\$1))) and conductive and reflect\$5 and (reflect\$5 with cell\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:20
-	258	((thermal near2 analy\$4) or calorimet\$4) and calibrat\$6 and (detect\$6 near4 (conductiv\$5 or conductance\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:05
-	144	((thermal near2 analy\$4) or calorimet\$4) and calibrat\$6 and (detect\$6 near4 (conductiv\$5 or conductance\$1)) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:06
-	11	((thermal near2 analy\$4) or calorimet\$4) with calibrat\$6 and (detect\$6 near4 (conductiv\$5 or conductance\$1)) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:10
-	14	((thermal near2 analy\$4) or calorimet\$4) same calibrat\$6 and (detect\$6 near4 (conductiv\$5 or conductance\$1)) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:37
-	39	(autocalibrat\$6 or (auto adj calibrat\$5) or (automatic\$3 near calibrat\$5)) and ((thermal near2 analy\$4) or calorimet\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:39

-	6	(autocalibrat\$6 or (auto adj calibrat\$5) or (automatic\$3 near calibrat\$5)) and ((thermal near2 analy\$4) or calorimet\$4) and (conductiv\$5 or conductance\$1) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:42
-	3	((autocalibrat\$6 or (auto adj calibrat\$5) or (automatic\$3 near calibrat\$5) or calibrat\$6) with (sampler\$1 or autosampler\$1)) and ((thermal near2 analy\$4) or calorimet\$4) and (conductiv\$5 or conductance\$1) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:49
-	15	((autocalibrat\$6 or (auto adj calibrat\$5) or (automatic\$3 near calibrat\$5) or calibrat\$6) with (sampler\$1 or autosampler\$1)) and (conductiv\$5 or conductance\$1) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:48
-	445	(374/1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:23
-	34	((374/1).CCLS.) and (conductiv\$5 or conductance\$1) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:23
-	232	(374/10).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:23
-	25	((374/10).CCLS.) and (conductiv\$5 or conductance\$1) and reflect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:02
-	65	"5224775"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:58
-	91	(detect\$5 with (reflect\$5 and (conductivi\$5 or conductance\$1))) and ((thermal near2 analy\$4) or calorimet\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:00
-	68	(detect\$5 with (reflect\$5 and (conductivi\$5 or conductance\$1))) and ((thermal near2 analy\$4) or calorimet\$4) and calibrat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:01
-	64	(detect\$5 with (reflect\$5 and (conductivi\$5 or conductance\$1))) and ((thermal near2 analy\$4) or calorimet\$4) and calibrat\$6 and (position\$3 or coordinate\$1 or (co adj ordinate\$1) or location\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 18:05
-	11	(reflect\$5 and (conductivi\$5 or conductance\$1)) and ((thermal near2 analy\$4) or calorimet\$4) and calibrat\$6 and (position\$3 or coordinate\$1 or (co adj ordinate\$1) or location\$1) and gripper\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 18:07
-	61	(reflect\$5 and (conductivi\$5 or conductance\$1)) and calibrat\$6 and (position\$3 or coordinate\$1 or (co adj ordinate\$1) or location\$1) and gripper\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 18:46

-	1	(reflect\$5 and (conductivi\$5 or conductance\$1)) and (autocalibrat\$6 or (auto adj calibrat\$5) or (automatic\$3 near calibrat\$5)) and (position\$3 or coordinate\$1 or (co adj ordinate\$1) or location\$1) and gripper\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 18:48
---	---	--	---	---------------------